


## I-BEAM TRACK MASTER CARRIER

A heavy duty drapery carrier designed to be placed at the leading edge of a traveler. A PBIM Generics Drapery may be hosted to the bottom.

### FAMILY INFORMATION

<b>PB_MasterCarrier_I_Heavy.rfa</b>	
Manufacturer	PBIM Generics
Revit Category	Specialty Equipment
PB Subcategory	PB-Track-Comp
LOD	350
Host	Unhosted / Workplane
Masterformat	11 61 44
Uniformat	E1070.10
Omniclass	23.40.50.14.24
PB Version	20.1.1.0
PB ID Number	RFA-001-01060100-0013



### PRODUCT INFORMATION

Manufacturer	PBIM Generics
Series	N/A
Product Model	N/A
Assembly Code	N/A

### FAMILY TYPES

N/A
-----

## PARAMETER INFORMATION

### Parameter Flexing

The family may be flexed through type parameters and instance parameters. Parameters included in the following groups are intended to be user editable:

- Constraints
- Graphics
- Materials

Changing parameters in any other group risks “breaking” the family, and is not supported.

### Parameter Descriptions

#### Type Parameters

Chain Length	Defines the length of chain on the bottom of the carrier.
Bumper Material	Material used for the bumper. Defaults to black rubber.
Carrier Material	Material used for the main body of the carrier. Defaults to aluminum.
Chain Material	Material used for the chain at the bottom of the carrier. Defaults to a zinc metal.
Tire Material	Material used for the tires that ride on the track. Defaults to black rubber.

#### Instance Parameters

None	No instance parameters are available for this family.
------	---

## USE INSTRUCTIONS

### Insertion & Placement

The family may be inserted either through Insert -> Load Family, dragging into a project window, or via a content management system (as applicable).

**IMPORTANT**— The family is designed to insert the BOTTOM of the wheels at the selected face or workplane. The idea is that it can be hosted to the bottom inside of the track.

### Customization

The only available customization is the material selection.

### Other Parameters

As indicated on Page 2, while there are other parameters that are open to adjustment, **Performance BIM only supports user-editing parameters in the Constraints, Graphics, Materials and Finishes, and Identity Data groups. Any changes to other groups is done at the user's risk, and will not be supported by Performance BIM.**

### Visibility Options

The visibility can be adjusted in the Visibility Graphics or Object Styles area under Specialty Equipment-> PB-Track-Comp.